


CL

Please Note:
Ganging is shown as a guide for minimizing circuit usage. Actual ganging at the discretion of ME.


Please Note:
Gobo Rotators can be powered as follows.
GAM Twin Spins: Grid H & J ganged together.
Rosco Vortexes: Grid N ganged together.




KEY

- | | | | | | |
|------------------|----------------------|--------------------------|-----------------------|----------------------------|--------------|
| S4 70 deg, 575w. | S4 19 deg, 575w. | S4-par WFL, 1Kw. | ZP Strip, 750w. | Cyberlight SV, 1.2Kw. | Practical |
| S4 50 deg, 575w. | S4 25-50 Zoom, 575w. | S4-par MFL, 1Kw. | GAM TwinSpin Rotator | Robe ColorSpot 575e, 575w. | Barn Door |
| S4 36 deg, 575w. | S4 15-30 Zoom, 575w. | COLORado Zm 2, 214w. | Rosco Vortex Rotator | Vari*Lite VL1000 TSD, 1Kw. | Top Hat |
| S4 26 deg, 575w. | Strand 6" Fres, 1Kw. | Strand PL Cyc Mk2, 140w. | Rosco RevoPro Rotator | ColorRam II 7110 | 12" Side Arm |
| | | | | | 36" Side Arm |

LEGEND




CL



KEY

- | | | | | | |
|------------------|----------------------|--------------------------|-----------------------|----------------------------|--------------|
| S4 70 deg, 575w. | S4 19 deg, 575w. | S4-par WFL, 1Kw. | 7IP Strip, 750w. | Cyberlight SV, 1.2Kw. | Practical |
| S4 50 deg, 575w. | S4 25-50 Zoom, 575w. | S4-par MFL, 1Kw. | GAM TwinSpin Rotator | Robe ColorSpot 575e, 575w. | Barn Door |
| S4 36 deg, 575w. | S4 15-30 Zoom, 575w. | COLORado Zm 2, 214w. | Rosco Vortex Rotator | Vari*Lite VL1000 TSD, 1Kw. | Top Hat |
| S4 26 deg, 575w. | Strand 6" Fres, 1Kw. | Strand PL Cyc Mk2, 140w. | Rosco RevoPro Rotator | 12" Side Arm | 36" Side Arm |
| | | | ColorRam II 7110 | | |

LEGEND



NASHVILLE
REP

NASHVILLE
REPERTORY
THEATRE

CHICAGO

DESIGNED BY PHILIP FRANCK
DRAWN BY PHILIP FRANCK & BOB FOSSE
MARCH 17-APRIL 16, 2016





Andrew Johnson Theatre, Tennessee Performing Arts Center, Nashville, TN
Director: Rene Copeland Set Designer: Gary Hoff Lighting Designer: Phillip Franck
Scale: 3/8" = 1'-0" Opening Date: March 19, 2016 Drawing Date: March 1, 2016


GRID LIGHT PLOT

PAGE 1 OF 3

-This document details playing positions, shapes, and color related to the visual aspects of the production only.
-It is understood that all specifications relate solely to the appearance of the design, and in no way does the designer assume responsibility for the safety, structural integrity, building, rigging, construction, fabrication, materials, or equipment used in the execution of the design.
-It is the designer's expectation that all relevant safety rules will be adhered to during the execution of the design.









KEY		S4 70 deg, 575w.		S4 19 deg, 575w.		S4-par WFL, 1Kw.		ZIP Strip, 750w.		Cyberlight SV, 1.2Kw.		Practical
		S4 50 deg, 575w.		S4 25-50 Zoom, 575w.		S4-par MFL, 1Kw.		GAM TwinSpin Rotator		Robe ColorSpot 575e, 575w.		Barn Door
		S4 36 deg, 575w.		S4 15-30 Zoom, 575w.		COLORado Zm 2, 214w.		Rosco Vortex Rotator		Vari*Lite VL1000 TSD, 1Kw.		Top Hat
		S4 26 deg, 575w.		Strand 6" Fres, 1Kw.		Strand PL Cyc Mk2, 140w.		Rosco RevoPro Rotator		12" Side Arm		36" Side Arm
								ColorRam II 7110				

LEGEND

Unit #

Changel

750w. Lamp



16.17.18.19

13.15

12.14

9.10.11

6.7.8

3.4.5

1.2